



PROJECT

TYPE

NOTES

QUANTITY

DATE



LUMINAIRE

Ceiling _____
 Track _____
 tilt max 90 ° _____
 rotation 355 ° _____
 Black Matt _____
 RAL 9011 ^a _____
 IP20 _____
 Interior _____
 430 lm _____

LED Module

3000 K _____
 CRI ≥ 90 _____
 L70 / 55000h _____
 ≤ 3 SDCM (initial MacAdam) _____

Optical

Medium (standard) _____
 beam angle 39° _____
 CIE flux code: 92 99 100 100
 100 _____

Electrical

phase-cut dim _____
 220 - 240 V _____
 system 5.9 W _____
 Class I _____


Physical

diameter 55 mm _____
 height 77 mm _____
 0.36 kg _____
 adapter 75 mm _____
 incl. 1-phase track adapter _____

^a Colour may deviate slightly due to production conditions



Spotlight made from die-cast aluminium incl. 1-phase track adapter; surface Black Matt; powder coated; matt texture; RAL 9011; inner ring black; with COB (Chip on Board) technology for maximum efficiency; phase-cut dim; light colour 3000 K; ≤ 3 SDCM (initial MacAdam); CRI ≥ 90; 220 - 240 V; beam angle 39°; spotlight head 355° rotatable and 90° tiltable; degree of protection IP20; Class I; 1-phase Global track adapter included; light source replaceable by Wever & Ducré or by a professional with explicit authorization;



[144168B5] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.



MOUNTING ACCESSORIES

Adjustable Corner

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	Black		81-81-20	90014041
1-phase track	White		81-81-20	90014042

X-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-145-20	90014049
1-phase track	Black		145-145-20	90014050

TRACK ACCESSORIES

Coverplate End Feed

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track recessed	White		75-50	90014124
1-phase track recessed	Black		75-50	90014125

Coverplate I/L/T/X

Type	Colour	Voltage	L·W (MM)	Item number
1-phase track recessed	White		100-100	90014126
1-phase track recessed	Black		100-100	90014127

End Cap

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track left/right	White		24-30-20	90014028
1-phase track left/right	Black		24-30-20	90014029

End Feed | left

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014018
1-phase track	Black		88-30-20	90014019

End Feed | right

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		88-30-20	90014020
1-phase track	Black		88-30-20	90014021

L-Connector

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track left	White		88-55-20	90014024
1-phase track left	Black		88-55-20	90014025
1-phase track right	White		88-55-20	90014026
1-phase track right	Black		88-55-20	90014027

Middle Feed

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track straight	White		145-30-20	90014036
1-phase track straight	Black		145-30-20	90014037

Mounting Bracket

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track recessed			35-59-35	90014100


Straight Connector

Type	Colour	Voltage	L·H (MM)	Item number
1-phase track straight	White		65-17	90014022
1-phase track straight	Black		65-17	90014023

Suspension Set 1.5m

Type	Colour	Voltage	Ø·H (MM)	Item number
1-phase track suspended	White		29-1500	90014101
1-phase track suspended	Black		29-1500	90014102

Suspension Set 3.0m

Type	Colour	Voltage	Ø·H (MM)	Item number
1-phase track suspended	White		29-3000	90014103
1-phase track suspended	Black		29-3000	90014104

T-Connector 1.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014010
1-phase track	Black		145-55-20	90014011

T-Connector 2.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014012
1-phase track	Black		145-55-20	90014013

T-Connector 3.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014014
1-phase track	Black		145-55-20	90014015

T-Connector 4.0

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track	White		145-55-20	90014016
1-phase track	Black		145-55-20	90014017

Track Adapter 1.0

Type	Colour	Voltage	L·H (MM)	Item number
1-phase track	Black		85-45	90014043
1-phase track	White		85-45	90014044

ELECTRICAL ACCESSORIES
Dimmer

Type	Colour	Voltage	L·W·H (MM)	Item number
for switch		230V	46-17.5-46	90019017
DIN RAIL	White	230V	17-55-90	90019018

TRACKS


Track Profile 1m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		1000·30·20	90014001
1-phase track surface/suspended	Black		1000·30·20	90014007
1-phase track recessed	White		1000·50·20	90014118
1-phase track recessed	Black		1000·50·20	90014119

Track Profile 2m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		2000·30·20	90014002
1-phase track surface/suspended	Black		2000·30·20	90014008
1-phase track recessed	White		2000·50·20	90014120
1-phase track recessed	Black		2000·50·20	90014121

Track Profile 3m

Type	Colour	Voltage	L·W·H (MM)	Item number
1-phase track surface/suspended	White		3000·30·20	90014003
1-phase track surface/suspended	Black		3000·30·20	90014009
1-phase track recessed	White		3000·50·20	90014122
1-phase track recessed	Black		3000·50·20	90014123